Brain Research, 482 (1989) 407–409
Elsevier

Author Index

Acker, H., see Delpiano, M.A., 235
Akaike, T., Electrophysiological analysis of the trigemino-olivo-cerebellar (crura I and II, lobulus simplex) projection in the rat, 402
Alderman, D.W., see Stolk, J.A., 1
Allot, C.P., see Tortella, F.C., 179
Applegate, M.D., see Koliatsos, V.E., 205

Bachoo, M., see Caverson, M.M., 365
Bailey, D., see Sullivan, A.F., 219
Barnhardt, R., see Christakos, C.N., 376
Barto, R.A., see DeNoble, V.J., 42
Bauer, R.M., see Richard, C.A., 49
Beck, E.R., see Speck, D.F., 387
Belelli, D., see Gee, K.W., 169
Blackburn, T.P., see Tortella, F.C., 179
Boadle-Biber, M.C., Corley, K.C., Graves, L., Phan, T.-H. and Rosecrans, J., Increase in the activity of tryptophan hydroxylase from cortex and midbrain of male Fischer 344 rats in response to acute or repeated sound stress, 306
Boatright, J.H., Hoel, M.J. and Iuvone, P.M., Stimulation of the endogenous dopamine release and metabolism in amphibian retina by light- and K^+-evoked depolarization, 164
Burgard, E.C., Decker, G. and Sarvey, J.M., NMDA receptor antagonists block norepinephrine-induced long-lasting potentiation and long-term potentiation in rat dentate gyrus, 351
Buyukuysal, R.L. and Wurtman, R.J., Tetrahydroaminoacridine but not 4-aminopyridine inhibits high-affinity choline uptake in striatal and hippocampal synaptosomes, 371

Calaresu, F.R., see Gelsema, A.J., 67
Caverson, M.M., Bachoo, M., Ciriello, J. and Polosa, C., Effect of preganglionic stimulation or chronic decentralization on neurotensin-like immunoreactivity in sympathetic ganglia of the cat, 365
Chen, M., see Stolk, J.A., 1
Christakos, C.N., Cohen, M.I., See, W.R. and Barnhardt, R., Changes in frequency content of inspiratory neuron and nerve activities in the course of inspiration, 376
Chung, E., see Hunter, C., 247
Ciriello, J., see Caverson, M.M., 365
Cline, H.T., see McDonald, J.W., 155
Cohen, M.I., see Christakos, C.N., 376
Constantine-Paton, M., see McDonald, J.W., 155
Corley, K.C., see Boadle-Biber, M.C., 306
Cortez, S.C., McIntosh, T.K. and Noble, L.J., Experimental fluid percussion brain injury: vascular disruption and neuronal and glial alterations, 271
Cotman, C.W., see Kahle, J.S., 159

Dacey Jr., R.G., see Takayasu, M., 393
Decker, G., see Burgard, E.C., 351
DeLong, M.R., see Koliatsos, V.E., 205
Delpiano, M.A. and Acker, H., Hypoxic and hypercapnic responses of $[Ca^{2+}]_o$ and $[K^+]_o$ in the cat carotid body in vitro, 235
De Luca, C.J., see Kamen, G., 136
DeMarco Jr., P.J. and Powers, M.K., Sensitivity of ERG components from dark-adapted goldfish retinas treated with APB, 317
DeNoble, V.J., Hepler, D.J. and Barto, R.A., Cysteamine-induced depletion of somatostatin produces differential cognitive deficits in rats, 42
De Weille, J.R. and Leinders, T., The action of pyrethroids on sodium channels in myelinated nerve fibres and spinal ganglion cells of the frog, 324
Dickenson, A.H., see Sullivan, A.F., 219
Dragunow, M., see Jansen, K.L.R., 174
Dumas, J., see Smith, Y., 381
Durcan, M.J., see Lister, R.G., 141

Eichler, M.E. and Rich, K.M., Death of sensory ganglion neurons after acute withdrawal of nerve growth factor in dissociated cell cultures, 340

Faden, A.I., see McIntosh, T.K., 252
Falkay, G., see Majewska, M.D., 397
Faull, R.L.M., see Jansen, K.L.R., 174
Ford-Rice, F., see Majewska, M.D., 397
Fujiwara, M., see Ninomiya, H., 109
Fukui, K., Nakajima, T., Kariyama, H., Kashiba, A., Kato, N., Tohyama, I. and Kimura, H., Selective reduction of serotonin immunoreactivity in some forebrain regions of rats induced by acute methamphetamine treatment; quantitative morphometric analysis by serotonin immunocytochemistry, 198
Fuller, C.A., see Murakami, D.M., 283

Gee, K.W., Joy, D.S. and Belelli, D., Complex interactions between pregnenolone sulfate and the *t*-butylbicyclophosphorothionate-labeled chloride ionophore in rat brain, 169
Gelsema, A.J., Roe, M.J. and Calaresu, F.R., Neurally mediated cardiovascular responses to stimulation of cell bodies in the hypothalamus of the rat, 67
Gong, D., Urono, T., Nagakura, Y., Matsuoka, Y. and Kubota, K., Effects of perfusion flow rate, prostaglandin F_2, phenylephrine, and serotonin on isolated, perfused brains of spontaneously hypertensive rats, 122
Goodman, S.R., see Zagon, I.S., 297
Goto, I., see Tanaka, K., 347
Graves, L., see Boadle-Biber, M.C., 306
Greenberg, J.H., see Uematsu, D., 129
Greenfield, S.A., see Taylor, S.J., 356

Harris, K.M., and Miller, R.J., Excitatory amino acid-evoked release of [^{3}H]GABA from hippocampal neurons in primary culture, 23
Hepler, D.J., see DeNoble, V.J., 42
Hernandez, L., see Schwartz, D., 261
Hirotsu, I., Hori, N., Katsuda, N. and Ishihara, T., Effect of anticholinergic drug on long-term potentiation in rat hippocampal slices, 194
Hishinuma, M. and Yamaguchi, T., Modulation of reflex re-

sponses during fictive locomotion in the forelimb of the cat, 184
Hoebel, B.G., see Schwartz, D., 261
Hoel, M.J., see Boatright, J.H., 164
Hori, N., see Hirotsu, I., 194
Hunter, C., Chung, E. and Van Woert, M.H., Age-dependent changes in brain glycine concentration and strychnine-induced seizures in the rat, 247

Ishihara, T., see Hirotsu, I., 194
Iuvone, P.M., see Boatright, J.H., 164

Jansen, K.L.R., Dragunow, M. and Faull, R.L.M., [^{3}H]Glycine binding sites, NMDA, and PCP receptors have similar distributions in the human hippocampus: an autoradiographic study, 174
Jennes, L., Prenatal development of the gonadotropin-releasing hormone-containing systems in rat brain, 97
Johnston, M.V., see McDonald, J.W., 155
Joy, D.S., see Gee, K.W., 169

Kahle, J.S. and Cotman, C.W., Carbachol depresses synaptic responses in the medial but not the lateral perforant path, 159
Kamen, G. and De Luca, C.J., Unusual motor unit firing behavior in older adults, 136
Kameyama, M., see Ninomiya, H., 109
Kariyama, H., see Fukui, K., 198
Karp, A., see Uematsu, D., 129
Kashiba, A., see Fukui, K., 198
Kato, N., see Fukui, K., 198
Katsuda, N., see Hirotsu, I., 194
Kayama, Y., see Sumitomo, I., 34
Kimura, H., see Fukui, K., 198
Kitt, C.A., see Koliatsos, V.E., 205
Kobayashi, T., see Tanaka, K., 347
Kochhar, A., see Zivin, J.A., 189
Koliatsos, V.E., Applegate, M.D., Kitt, C.A., Walker, L.C., DeLong, M.R. and Price, D.L., Aberrant phosphorylation of neurofilaments accompanies transmitter-related changes in rat septal neurons following transection of the fimbria-fornix, 205
Krebs, J.C., see Wirtshafter, D., 225
Kubota, K., see Gong, D., 122

Lason, W., Simpson, J.N. and McGinty, J.F., The interaction between κ-opioid agonist, U-50,488H, and kainic acid: behavioral and histological assessments, 333
Lavoie, B., see Smith, Y., 381
Lee, Y.C., see Stolk, J.A., 1
Leinders, T., see De Weille, J.R., 324
Lister, R.G. and Durcan, M.J., Antagonism of the intoxicating effects of ethanol by the potent benzodiazepine receptor ligand Ro 19-4603, 141
Loveday, B.E., see Tortella, F.C., 179

Majewska, M.D., Ford-Rice, F. and Falkay, G., Pregnancy-induced alterations of $GABA_A$ receptor sensitivity in maternal brain: an antecedent of post-partum 'blues'?, 397
Maragos, W.F., see McDonald, J.W., 155
Martin, D.A., see Tortella, F.C., 179
Matsuoka, Y., see Gong, D., 122
McDonald, J.W., Cline, H.T., Constantine-Paton, M., Maragos, W.F., Johnston, M.V. and Young, A.B., Quantitative autoradiographic localization of NMDA, quisqualate and PCP receptors in the frog tectum, 155
McGinty, J.F., see Lason, W., 333
McIntosh, T.K., see Cortez, S.C., 271
McIntosh, T.K., Vink, R., Yamakami, I. and Faden, A.I., Magnesium protects against neurological deficit after brain injury, 252
McLaughlin, P.J., see Zagon, I.S., 297
McNamara, J.O., see Okazaki, M.M., 359
McQuay, H.J., see Sullivan, A.F., 219
Miller, J.D., see Murakami, D.M., 283
Miller, R.J., see Harris, K.M., 23
Mitchell, J.H., see Richard, C.A., 49
Murakami, D.M., Miller, J.D. and Fuller, C.A., The retinohypothalamic tract in the cat: retinal ganglion cell morphology and pattern of projection, 283
Murugaian, J., see Sundaram, K., 12

Nadler, J.V., see Okazaki, M.M., 359
Nagakura, Y., see Gong, D., 122
Nagara, H., see Tanaka, K., 347
Nakajima, T., see Fukui, K., 198
Ninomiya, H., Taniguchi, T., Fujiwara, M., Shimohama, S. and Kameyama, M., Effect of in vivo exposure to hypoxia on muscarinic cholinergic receptor-coupled phosphoinositide turnover in the rat brain, 109
Noble, L.J. and Wrathall, J.R., Distribution and time course of protein extravasation in the rat spinal cord after contusive injury, 57
Noble, L.J., see Cortez, S.C., 271

Ogawa, T., see Sumitomo, I., 34
Okamoto, K., see Sekiguchi, M., 78
Okamoto, K., see Sekiguchi, M., 87
Okazaki, M.M., McNamara, J.O. and Nadler, J.V., *N*-Methyl-D-aspartate receptor autoradiography in rat brain after angular bundle kindling, 359
Olsen, J.I., see Stolk, J.A., 1

Parent, A., see Smith, Y., 381
Perry, C., see Stolk, J.A., 1
Phan, T.-H., see Boadle-Biber, M.C., 306
Polosa, C., see Caverson, M.M., 365
Powers, M.K., see DeMarco Jr., P.J., 317
Price, D.L., see Koliatsos, V.E., 205

Reeves, P.M., see Stolk, J.A., 1
Reivich, M., see Uematsu, D., 129
Rich, K.M., see Eichler, M.E., 340
Richard, C.A., Waldrop, T.G., Bauer, R.M., Mitchell, J.H. and Stremel, R.W., The nucleus reticularis gigantocellularis modulates the cardiopulmonary responses to central and peripheral drives related to exercise, 49
Roe, M.J., see Gelsema, A.J., 67
Rosecrans, J., see Boadle-Biber, M.C., 306
Russell, N.J., see Tortella, F.C., 179

Saito, T., see Zivin, J.A., 189
Sakai, Y., see Sekiguchi, M., 78
Sakai, Y., see Sekiguchi, M., 87
Sapru, H., see Sundaram, K., 12
Sarvey, J.M., see Burgard, E.C., 351
Schwartz, D., Hernandez, L. and Hoebel, B.G., Fenfluramine administered systemically or locally increases extracellular

serotonin in the lateral hypothalamus as measured by microdialysis,261
Schweizer, M.P., see Stolk, J.A., 1
See, W.R., see Christakos, C.N., 376
Sekiguchi, M., Okamoto, K. and Sakai, Y., Low concentration *N*-acetylaspartylglutamate suppresses the climbing fiber response of Purkinje cells in Guinea pig cerebellar slices and the responses to excitatory amino acids of *Xenopus* laevis oocytes injected with cerebellar mRNA, 87
Sekiguchi, M., Okamoto, K. and Sakai, Y., Release of endogenous *N*-acetylaspartylglutamate (NAAG) and uptake of [^{3}H]NAAG in Guinea pig cerebellar slices, 78
Shimohama, S., see Ninomiya, H., 109
Simpson, J.N., see Lason, W., 333
Smith, Y., Lavoie, B., Dumas, J. and Parent, A., Evidence for a distinct nigropallidal dopaminergic projection in the squirrel monkey, 381
Speck, D.F. and Beck, E.R., Respiratory rhythmicity after extensive lesions of the dorsal and ventral respiratory groups in the decerebrate cat, 387
Steel, J.A., see Tortella, F.C., 179
Stolk, J.A., Olsen, J.I., Reeves, P.M., Chen, M., Perry, C., Alderman, D.W., Lee, Y.C. and Schweizer, M.P., In vivo [^{31}P]NMR studies on the influence of age on rat brain hypoxia, 1
Stremel, R.W., see Richard, C.A., 49
Sullivan, A.F., McQuay, H.J., Bailey, D. and Dickenson, A.H., The spinal antinociceptive actions of morphine metabolites morphine-6-glucuronide and normorphine in the rat, 219
Sumitomo, I., Takahashi, Y., Kayama, Y. and Ogawa, T., Burst discharges of thalamic reticular neurons: an intracellular analysis in anesthetized rats, 34
Sundaram, K., Murugaian, J. and Sapru, H., Cardiac responses to the microinjections of excitatory amino acids into the intermediolateral cell column of the rat spinal cord, 12

Takahashi, Y., see Sumitomo, I., 34
Takayasu, M. and Dacey Jr., R.G., Effects of inhibitory and excitatory amino acid neurotransmitters on isolated cerebral parenchymal arterioles, 393
Tanaka, K., Nagara, H., Kobayashi, T. and Goto, I., The twitcher mouse: accumulation of galactosylsphingosine and pathology of the central nervous system, 347
Taniguchi, T., see Ninomiya, H., 109
Taylor, S.J. and Greenfield, S.A., Release of acetylcholinesterase from the guinea-pig substantia nigra during peripheral nerve stimulation, 356
Tohyama, I., see Fukui, K., 198
Tortella, F.C., Martin, D.A., Allot, C.P., Steel, J.A., Blackburn, T.P., Loveday, B.E. and Russell, N.J., Dextromethorphan attenuates post-ischemic hypoperfusion following incomplete global ischemia in the anesthetized rat, 179
Trifunovic, R., see Wirtshafter, D., 225

Uematsu, D., Greenberg, J.H., Reivich, M. and Karp, A., Cytosolic free calcium and NAD/NADH redox state in the cat cortex during in vivo activation of NMDA receptors, 129
Urono, T., see Gong, D., 122

Van Woert, M.H., see Hunter, C., 247
Vink, R., see McIntosh, T.K., 252

Waldrop, T.G., see Richard, C.A., 49
Walker, L.C., see Koliatsos, V.E., 205
Wirtshafter, D., Trifunovic, R. and Krebs, J.C., Behavioral and biochemical evidence for a functional role of excitatory amino acids in the median raphe nucleus, 225
Wrathall, J.R., see Noble, L.J., 57
Wurtman, R.J., see Buyukuysal, R.L., 371

Yamaguchi, T., see Hishinuma, M., 184
Yamakami, I., see McIntosh, T.K., 252
Young, A.B., see McDonald, J.W., 155

Zagon, I.S., Goodman, S.R. and McLaughlin, P.J., Characterization of zeta (ζ): a new opioid receptor involved in growth, 297
Zahm, D.S., Evidence for a morphologically distinct subpopulation of striatipetal axons following injections of WGA-HRP into the ventral tegmental area in the rat, 145
Zivin, J.., Kochhar, A. and Saito, T., Phenothiazines reduce ischemic damage to the central nervous system, 189